



PRODUCT GUIDE

applied-inc.com

TRANSFILL

REQUIRED TRAINING

CARTS & RACKS

REGULATORS

CONCENTRATORS

CPAP



Table of Contents

Using Oxygen	03	Cleaning & Sanitizing	
Regulators & Conservers		Maintenance Chemicals	
Cylinders		Disinfectants & Sanitizers	
Liter Meters			
Cylinder Bags & Boxes			
		Training & Registration	
		Training	
Storing & Transporting	06	FDA Registration & Reporting	
Rattle-Less Carts & Racks			
Layered Van Racks			
Lockable Lid Cylinder Racks		OxySafe2	
Layered Cylinder Carts			
M6 Racks & Carts			
D/E Racks, Carts & Stands		Portable Concentrators	
Large Sized & Liquid Carts			
Filling Oxygen	13	Stationary Concentrators	
Transfill Systems			
Mobile Fill Racks		CPAP & BPAP	
Oxygen Analyzers		3.7 3. 2.7	
Spec Gases & Regulators			
Vacuum Pumps & Accessories		Emergency Oxygen	
System Replacement Parts		Efficiency Oxygen	
Gauges & Thermometers			
Pigtails			
Labels, Label Guns & Lot Stickers			
Valve Seals, Wet Bands, Dust Caps &	Washers		
Filling Accessories			
Liquid Filling Supplies			

About Us

At Applied Home Healthcare Equipment LLC, we know what it takes to deliver oxygen safely, keep it secure, and help patients benefit from every molecule. And we know what you need to stay compliant every step along the way. Just ask.

With Applied, you'll get the selection, service, and support you need to help your patients—and manage your business successfully.



'Opportunity' is a word that does not give justice to what OxyGo/Applied and the folks that work there can do for a DME business. They help with not only oxygen equipment and supplies, but also the training and compliance required by the industry."

ST. MARY'S PHARMACY, INC.

Read more client feedback: info.applied-inc.com/testimonials



1210-0400



1109-2015



1109-2028C





1109-2040

Conservers & Regulators

Product	Name	and	Desc	ription
---------	------	-----	------	---------

Small and lightweight with single control, ergonomically designed T-handle - easy-to-use. CGA 870 connection, 2-year warranty.

Mini Click Stop Regulator | CGA 540

CGA 540. Barb outlet, lightweight aluminum body with brass inner core for O2 compatibility.

Mini Click Stop Regulator | CGA 870

CGA 870. Barb outlet, lightweight aluminum body with brass inner core for O2 compatibility.

Mini Click Flex Regulator | CGA 870

CGA 870. 0-15 lpm, barb outlet. Lightweight aluminum body with brass inner core for O2 compatibility.

Settings: 0, 0.5, 1, 1.5, 2, 3, 4, 5, 6, 8, 10, & 15

EMS Click Stop Regulator

0-25 lpm hose barb and power take off outlets. All brass design.

Part # / Options

#1210-0400

#1109-2005

0-8 lpm

#1109-2015 0-15 lpm

#1109-2028

0-8 lpm

#1109-2028C

0-8 lpm, Custom Etched

#1109-2029

0-15 lpm

#1109-2029C


0-15 lpm, Custom Etched

#1109-2040

0-25 lpm, CGA 870

#1109-2042

0-25 lpm, CGA 540



Valve Description Part No. Diameter (in) Height* (in) Capacity (L) Toggle Gauge Quantity (units) 3000 CGA-870 144 M4 3.2 8.5 113 No No 3000T 3.2 8.5 CGA-870 144 M4 113 Yes No 3001 CGA-870 144 M6 3.2 11.5 165 No No M6 3001T 3.2 11.5 CGA-870 144 165 Yes No ML6 3004 4.3 7.6 165 CGA-870 No No 81 ML6 3004T 4.3 7.6 165 CGA-870 No 81 Yes C / M9 3005 4.3 11 255 CGA-870 No No 144 C / M9 3005T 4.3 11 255 CGA-870 144 Yes No C / M9 3005TS 4.3 11 255 CGA-870 144 Yes No C / M9 3005T-PK CGA-870 4.3 11 255 No No 6 4.3 CGA-870 M7 3007 9.1 198 No No 81 D 3009 4.3 16.5 425 CGA-870 81 No No D 4.3 CGA-870 3009T 16.5 425 81 Yes No D 3009TS 4.3 16.5 425 CGA-870 Yes No 81 D 3009T-PK 4.3 16.5 425 CGA-870 6 Yes No Ε 3013 4.3 25.5 680 CGA-870 No No 81 Ε 3013S 4.3 25.5 680 CGA-870 No No 81 Ε 3013T 4.3 25.5 680 CGA-870 Yes No 81 Ε 3013TS 4.3 25.5 680 CGA-870 Yes No 81 Е 3013T-PK 4.3 25.5 680 CGA-870 6 Yes No M122 3017 8 36 3455 CGA-540 No 25 No M90 3018 7.3 32.7 2549 CGA-540 No No 25 M150 3019 8 47.2 CGA-540 25 4248 No No

^{*} Height to bottom of post valve

Cylinder Replacement Parts	
Product Name and Description	Part # / Options
Screw Type Toggle - For CGA-870 Post Valve, sold in bags of 10 with screws.	#1109-5551
Replacement Screw - For Post Valve Toggle, Bag of 10.	#1109-5551-1
Pin Type Toggle - For CGA-870 Post Valve, sold in bags of 10 with pins.	#1109-5552
Post Valve with Toggle For Aluminum Cylinders, Inlet 3/4"-16 Straight Threads, Outlet Oxygen CGA 870. Includes Teflon O-ring.	#1109-5559

Additional Replacement Parts Available Online: applied-inc.com








Liter Meters	
Product Name and Description	Part # / Options
Liter Meter Small, lightweight device that can be used to quickly verify	#1109-2210 1-8 lpm
the flow of gas.	#1109-2215 2-15 lpm

Cylinder Bags	
Product Name and Description	Part # / Options
M6/B 3-in-1 Cylinder Bag Cylinder can be carried horizontally, vertically or as backpack. Features clear window to easily see regulators.	#1170-0010
M6/M9 Cylinder Bag Premium Stylish Cylinder Backpack with convenient zippered accessory pouch. Features padded back, backpack straps and comfort carry handle.	#1170-0020
D Cylinder Backpack Premium cylinder backpack with padded straps, cannula caddy and sternum strap.	#1170-0022
M6 Cylinder Tote Holds 8 cylinders. Meets requirement for safe cylinder handling required by CGA P-2.	#1170-0040

Cylinder Boxes	
Product Name and Description	Part # / Options
M6 Cylinder Box Carries 6 cylinders. One case of 10 boxes.	#1170-0154-1
C Cylinder Box Carries 4 cylinders. One case of 10 boxes.	#1170-0156-1
E Cylinder Box Carries 4 cylinders. One case of 10 boxes.	#1170-0158-1

Specialized, **rattle-less coating** allows for secure fit with significantly reduced noise, keeping delivery drivers and drivers happy.



Cylinder Size Guide		
Cylinder Type	Approx. Diameter	
M4, M6, B, M	3.2"	
M7, M9, C, D, E, M	4.3"	
Jumbo D	5.3"	
M, M60, H, J, T	7.0" – 9.5"	

Rattle-Less Carts & Racks	
Product Name and Description	Part # / Options
M6 Racks	
6 M6 Rattle-Less Cylinder Rack	#1100-1432
Holds 6 M6 cylinders. 8.25"H x 7.625"W x 11.5"L	
8 M6 Rattle-Less Cylinder Rack	#1100-1433
Holds 8 M6 cylinders. 8.625"H x 8"W x 15.5"L	
	<u> </u>
12 M6 Rattle-Less Cylinder Rack	#1100-1437
Holds 12 M6 cylinders. 8.25"H x 11.5"W x 19.5"L	
24 M6 Rattle-Less Cylinder Rack	#1100-1434
Holds 24 M6 cylinders. 8.375"H x 12"W x 31"L	#1100-1404
<u> </u>	
D/E Racks	
6 D/E Rattle-Less Cylinder Rack	#1100-1436
Holds 6 D/E cylinders. 8.375"H x 10"W x 15"L	
40 P/E Paulla I and O Frank (Paul	W4400 4400
12 D/E Rattle-Less Cylinder Rack	#1100-1420
Holds 12 D/E cylinders. 8.25"H x 14.5"W x 19.5"L	
24 D/E Rattle-Less Cylinder Rack	#1100-1458
Holds 24 D/E cylinders. 8.25"H x 14.5"W x 39"L	
M6 Carts	
6 M6 Rattle-Less Cylinder Cart	#1100-1424
Holds 6 M6 cylinders. 39.5"H x 13"D x 12.063"W	
12 M6 Rattle-Less Cylinder Cart	#1100-1425
Holds 12 M6 cylinders. 36.75"H x 15.5"W x 19"L	
24 M6 Rattle-Less Cylinder Cart	#1100-1427
Holds 24 M6 cylinders. 36.75"H x 32"D x 15.5"W	
D/E Carts	
6 D/E Rattle-Less Cylinder Cart	#1100-1423
Holds 6 D/E cylinders. 39.5"H x 16.5"L x 13.75"W	11100 1420
12 D/E Rattle-Less Cylinder Cart	#1100-1426
Holds 12 D/E cylinders. 36.75"H x 20.25"W x 22"D	
	<u> </u>
24 D/E Rattle-Less Cylinder Cart	#1100-1487
Holds 24 D/E cylinders. 36.75"H x 32"D x 15.5"W	









Layered Carts & Racks	
Product Name and Description	Part # / Options
Layered Van Racks	
50 Cylinders - Horizontal Storage - C, D, E Holds 50 C, D, E cylinders. 31"D x 27.5"W x 72"H	#1100-1612
50 Cylinders - Horizontal Storage - C, D, E Holds 50 C, D, E cylinders w/casters. 32"D x 28"W x 73"H	#1100-1613
35 Cylinders - Lockable Door - D, E Holds 35 D/E cylinders. 46"H x 28"W x 32.5"D	#1100-1711
Lockable Door - Multiple Sizes - D, E, M6 Holds 6 D/E cylinders + 8 M6 cylinders. 32.5"D x 17.5"W x 24"H	#1100-1791
Lockable Door - Multiple Sizes - D, E, C, M6 Holds 12 D/E/C and 8 M6 cylinders. 36"H x 32.5"D x 17.5"W	#1100-1792
Lockable Door - Multiple Sizes - D, E, M6 Holds 12 D/E and 4 M6 cylinders. 31.25"H x 32.25"D x 17.5"W	#1100-1793
Lockable Door - Multiple Sizes - D, E, M6 Holds 12 D/E and 16 M6 cylinders. 32.5"H x 17.5"D x 44.25"W	#1100-1794
25 Cylinders - Lockable Door - D, E Holds 25 D/E cylinders. 33"H x 28"W x 32.5"D	#1100-1797
50 Cylinders - Lockable Door - E Holds 50 E cylinders. 32.5"D x 28"W x 62"H	#1100-1798
Multiple Sizes - D, E, M6 Holds 15 D/E and 8 M6 cylinders. 32.5"D x 17.5"W x 41.625"H	#1100-1799
Multiple Sizes - D, E, M6 Holds 25 D/E and 28 M6 cylinders. 32.5"D x 28"W x 51"H	#1100-1778
Lockable Lid Cylinder Racks	
4 E Cylinder Rack - Lockable Lid Holds 4 E cylinders. 35"H x 10.5"D x 12.5"W	#1100-1721
6 E Cylinder Rack - Lockable Lid Holds 6 E cylinders. 35"H x 12"D x 15"W	#1100-1860
24 E Cylinder Rack - Lockable Lid Holds 24 E cylinders. 35"H x 20"D x 32"W	#1100-1725
Layered Cylinder Carts	
98 Cylinders - Multiple Sizes - M4, M6, B Holds 98 M4, M6 and B cylinders. 65.75"H x 31.5"D x 27.25"W	#1100-1602
196 Cylinders - Multiple Sizes - M4, M6, B Holds 196 M4, M6 and B cylinders. 65.75"H x 31.5"D x 27.25"W	#1100-1604
Transport Cart - Multiple Sizes - D, E Holds 50 D/E cylinders. 48"H x 42"W x 32"D	#1100-1765

Part # / Options

#1100-1931

#1100-1932

#1100-1933

#1100-1937

#1100-1934

#1100-1938

#1100-1939

#1100-1853

#1100-1856


#1100-1854

#1100-1855



1100-1937

1100-1934



With hold down bars and feet. 19.5"H x 12"D x 18"W

With hold down bars and feet. 16"H x 23"D x 19"W


With hold down bars and feet. 16"H x 39"D x 23"W


30 M6 Vertical Cylinder Rack

60 M6 Vertical Cylinder Rack

M6 Cylinder Storage Solutions

Product Name and Description







1100-1856



Cylinder Size Guide		
Cylinder Type	Approx. Diameter	
M4, M6, B, M	3.2"	
M7, M9, C, D, E, M	4.3"	
Jumbo D	5.3"	
M, M60, H, J, T	7.0" – 9.5"	








1100-1924



M6 Cylinder Handling & Transport Solutions	
Product Name and Description	Part # / Options
1 M6 Cylinder Cart 41"H x 10"D x 12"W	#1100-1810
30 M6 Cylinder Cart 40"H x 23"D x 19"W	#1100-1844
60 M6 Cylinder Cart Medium duty with four wheels. 40"H x 39"D x 23"W	#1100-1846
4 M6 Cylinder Cart 39.5"H	#1100-1922
6 M6 Cylinder Cart 39.5"H	#1100-1924
12 M6 Cylinder Cart 36.75"H x 16.5"W x 19"D	#1100-1925
24 M6 Cylinder Cart 36.75"H x 32"D x 15.5"W	#1100-1927
6 Cylinder Cart - M7, M9, C, D, E With 2 casters and 2 wheels. 42"H x 15"D x 18"W	#1100-1857



Cylinder Size Guide	
Cylinder Type	Approx. Diameter
M4, M6, B, M	3.2"
M7, M9, C, D, E, M	4.3"
Jumbo D	5.3"
M, M60, H, J, T	7.0" – 9.5"



Product Name and Description	Part # / Options
1 D/E/C Cylinder Cart - Adjustable Handle Sold in packs of 6. 11.68"W x 10.5"D x 38.5-43"H	#1100-1911
MRI Non-Magnetic Aluminum D/E Cylinder Cart* Holds 1 cylinder. 38.5"W x 43"H	#1100-1913
2 D/E Cylinder Cart 41"H x 10"D x 41"W	#1100-1804
2 D/E Cylinder Cart 38.5"H x 11"D x 13.75"W	#1100-1912
4 D/E Cylinder Cart 39.5"H	#1100-1921
4 D/E Cylinder Cart - 2 Wheels, 2 Legs 42"H x 10"D x 18"W	#1100-1840
6 D/E Cylinder Cart - 2 Wheels, 2 Legs 42"H x 15"D x 18"W	#1100-1841
6 D/E Cylinder Cart 39.5"H x 13.75"W	#1100-1923
12 D/E Cylinder Cart 36.75"H x 20"W x 22"L	#1100-1926
12 D/E Cylinder Cart - 2 Wheels, 2 Legs 42"H x 20"D x 22"W	#1100-1872
12 D/E Cylinder Cart - 2 Wheels, 2 Casters 42"H x 20"D x 22"W	#1100-1873
24 D/E Cylinder Cart - 4 Casters 42"H x 30"D x 20"W	#1100-1874
24 D/E Cylinder Cart - 4, 6" Casters 45"H x 31.5"D x 21.5"W	#1100-1885
24 D/E Cylinder Cart - 6, 6" Casters 45"H x 46.5"D x 25.25"W	#1100-1886

 $^{^{\}star}$ For use outside the bore of an MR machine under the following conditions: Static magnetic field of 3.0 Tesla or less; Spatial gradient field of .3 Tesla/meter or less.



Large Sized Cylinders & Liquid Carts	
Product Name and Description	Part # / Options
1 M60/M Cylinder Cart - Cannula Hook 40"H x 13"W x 12"D	#1100-1812
1 M Cylinder Stand - 8" Diameter 6"H x 14"D x 14"W	#1100-1814
1 M60 Cylinder Stand - 7" Diameter 6"H x 14"D x 14"W	#1100-1815
1 M60 Cylinder Cart - Dolly Style Handles 46"H x 15"D x 15"W	#1100-1819
1 Large Liquid Cylinder Cart With pneumatic wheels and rear swivel casters. 46"H x 28"W	#1100-1820
1 H/T Cylinder Cart - Dolly Style Handle With solid rubber wheels and swivel casters. 46"H x 15"D x 15"W	#1100-1822
2 H/T Cylinder Cart	#1100-1829





Cylinder Size Guide		
Cylinder Type	Approx. Diameter	
M4, M6, B, M	3.2"	
M7, M9, C, D, E, M	4.3"	
Jumbo D	5.3"	
M, M60, H, J, T	7.0" – 9.5"	

46"H x 28"D x 25"W





▲ OF-510



◀ HME-0003

Transfill Systems	
Product Name and Description	Part # / Options
OxyFill Liquid to Gas Oxygen Refilling System Fills up to 66 oxygen cylinders per hour. Quiet operation, turnkey setup and easy maintenance.	#OF-7000
Rebuilt OxyFill Liquid to Gas System Machine that has been rebuilt to the equivalent of new.	#OF-700R
OxyFill Base Refilling System Fills 5 small cylinders from six "H" cylinders. Includes mounting hardware, connections, and pigtails.	#OF-510
OxySupply Base: 6 Cylinder Supply Fills from 6 supply cylinders. Recommend for those who use 60 or less cylinders per week.	#OF-586
OxySupply Base: 8 Cylinder Supply Fills from 8 supply cylinders. Recommend for those who use 80 or less cylinders per week.	#OF-588

Mobile Fill Racks	
12 Cylinder Mobile Fill Rack Increases system filling capacity by 12 cylinders. With easy hand tightening knobs, pigtail, and industrial swivel casters.	#HME-0003
20 Cylinder Mobile Fill Rack Increases system filling capacity by 20 cylinders. With easy hand tightening knobs, pigtail, and industrial swivel casters.	#HME-0002
20 Place Mobile Filling Rack With CGA-870 quick connectors.	#HME-0002-QC
12 Place Mobile Filling Rack With CGA-870 quick connectors.	#HME-0003-QC
Oviale Commontores	

Quick Connectors

High Speed OxyFill Quick Connector

Works with all CGA-870 post valves, 1/2" NPT male inlet for use on oxygen manifolds. (Not available in 1/4" NPT).

#1109-9932-1

Applied's Worry-Free Transfilling

- ✓ Complete, documented installation and training on-site. Plus FDA registration, procedure manual template and required form training.
- ✓ We hold your hand throughout the entire process—to minimize worry and keep you compliant!

Download a FREE
Cost-Savings Worksheet

applied-inc.com/cost-savings





Instant Gas Refill Program
Scan the QR code or visit:

bit.ly/instant-gas





Oxygen Analyzers	
Product Name and Description	Part # / Options
Servomex 5230 Model 3 For use with oxygen strength measurement (+-0.1%). Includes power adapter. Compliant with and required by FDA Guidelines.	#OF-941
Servomex Oxygen Analyzer Loaner Rental Keep filling while your unit is in for annual maintenance.	#OF-935
Servomex A+ Check Annual maintenance includes calibration testing and certificate.	#OF-936
Power Supply For Servomex 575, 5200, and O2 analyzer.	#OF-575PS
Replacement Filter For Servomex 570, 572, 575, and 5200.	#OF-903
Servomex Drying Tube	#OF-906

Handheld Analyzers

OxyStat O2 Analyzer

Handheld analyzer, measures 0.5 to 100% concentration with 2% accuracy. Calibrates to room air or oxygen source. AA batteries included with tubing.

#OF-990OxyStat Analyzer

#OF-991Replacement Sensor

Spec Gases & Regulators	
Oxygen Calibration Gas CGA 540 Aluminum E Cylinder. See Instant Gas Order Form online.	#SG-100-1
Nitrogen Calibration Gas - (0/Low) for Servomex CGA 580 Aluminum E Cylinder. See Instant Gas Order Form online.	#SG-200
Nitrogen Purging Gas - (Comparable to Nitrogen NF) CGA 580 Aluminum E Cylinder. See Instant Gas Order Form online.	#SG-300-1
Nitrogen Calibration Regulator CGA 580. Inlet max 3,000 psig; Outlet: Adjustable, max 10 psig.	#1108-0004
Oxygen Calibration Regulator CGA 540. Inlet: max 3,000 psig; Outlet: Adjustable, max 10 psig.	#1108-3113
Calibration / Air Regulator Adjustable 2 to 10 psig, with metering orifice. CGA 346.	#1108-3114





1120-0181-1

1109-1010



SEE IF TRANSFILLING IS RIGHT FOR YOUR BUSINESS.

If you answer "yes" to any of the following, then transfilling could save you a significant amount of money and headaches!

- I want to save money.
- I'm using a significant number of cylinders and costs just keep going up.
- My supplier is constantly adding fees, losing my cylinders, and running out of cylinders when I need them.
- My business and volume is increasing.

Gas to Gas Replacement Parts	
Product Name and Description	Part # / Options
Check Valve Spud CV Spud for Supply Manifold. 1/2" MNPT x CGA 540.	#1120-0181-1
CGA 540 Connection T Made of brass with a CGA 540 Female Inlet and two CGA 540 Male Outlets, with 3,000 psi working pressure. 2.75" x 2.75".	#1109-1010
Supply Side Addition Adds one supply side station. Includes mounting hardware, manifold, stainless steel pigtail.	#OF-503
High Pressure Control Regulator Oxygen Service. 3,000 psig, 1/4" MNPT inlet. 2,500 psig, 1/4" MNPT outlet. 2 Gauges and calibration certificates.	#1110-1454

Vacuum Pumps & Accessories	
Felt Filter for Super Duty Vacuum Pump	#1108-0008
Muffler for Super Duty Vacuum Pump - 1/4"	#1108-0009
End Cap Assembly for Super Duty Vacuum Pump	#1108-0010
Super Duty Vacuum Pump Includes 3 prong/15 amp plug and on/off control. One unit w/plug.	#1108-0013
Vacuum Regulator with High Pressure Inlet 1/4" NPT outlet with relief valve and certified vacuum gauge.	#1110-0423-1
Vacuum Pump Service Kit Includes: 4 Carbon Vanes, 2 Felt Filters, 2 O-rings, and 1 Gasket Rebuild Kit for OF-7000 or HP-40 Liquid to Gas systems.	#OF-722

Applied's Worry-Free Transfilling

- Complete, documented installation and training on-site. Plus FDA registration, procedure manual template and required form training.
- ✓ We hold your hand throughout the entire process—to minimize worry and keep you compliant!

Download a FREE Cost-Savings Worksheet

applied-inc.com/cost-savings



OF-720





OF-735





OF-751

OF-756



OF-803

Additional Filling Tips
Available Online
applied-inc.com/i-fill-oxygen

Liquid to Gas Replacement Parts	
Product Name and Description	Part # / Options
Super Duty Vacuum Pump For OF-7000 / HP-40 systems.	#OF-720
3-Way Ball Valve - 1/4" NPT, Female For OF-720 vacuum pump on OF-7000 or HP-40 system.	#OF-721
Vent Valve - OF-7000 or HP-40 Inlet 1/4" NPT Male. Outlet 1/4" NPT Female.	#OF-734
Cryogenic Valve - OF-7000 or HP-40 3/8" NPT Female by 3/8" NPT Female.	#OF-735
Clevis for Stainless Steel Roller For OF-700, OF-700R, OF-7000, HP-40. OF-737 & OF-745.	#OF-736
Replacement Clevis Roller For OF-700, OF-700R, OF-7000, HP-40.	#OF-737
Pump O Ring Seals For OF-700, OF-700R, OF-7000, HP-40.	#OF-738
Vacuum Pump Filters - for OF-720 Vacuum Pump 3/8" NPT Muffler. For OF-700, OF-700R, OF-7000, HP-40.	#OF-742
Vacuum Pump Muffler 3/8" NPT Muffler. For OF-700, OF-700R, OF-7000, HP-40.	#OF-743
Side Roller 1" outer diameter. For OF-700, OF-700R, OF-7000, HP-40.	#OF-745
Pressure Building Regulator For OF-700, OF-700R, OF-7000, HP-40.	#OF-747
Pressure Switch - 1600 psi For let side of OF-700, OF-700R, OF-7000, HP-40.	#OF-750
Top Pump Seal For OF-700, OF-700R, OF-7000, HP-40.	#OF-751
Top Seal, Nut and Clip For Liquid System SN #239 and newer.	#OF-756
Liquid Level Gauge For OF-700, OF-700R, OF-7000, HP-40.	#OF-760
Condensation Purge Kit Reduced ice build up and keeps system working better, longer.	#OF-803










1110-0503

	8
110-0501H	1110-0506H

Gauges & Thermometers	
Product Name and Description	Part # / Options
Test Gauge for High Pressure Oxygen To 4,000 psig. CGA 870 yoke connection.	#1108-0016
Replacement High Pressure Gauge 0 - 5,000 psi. Inlet 1/4" NPT Male, Bottom Port, 4".	#1108-0016G
Low Pressure Test Gauge 0 - 60 psi. 9/16" inlet connection.	#1108-0017
Low Pressure Test Gauge 0 - 30 psig. 9/16" inlet connection. Includes NIST certification.	#1108-0018
PSI Certified Test Gauge 0 - 100 psi. 9/16" swivel female inlet connection.	#1108-0023
Digital Thermometer for Transfilling Certified to NIST standards.	#1108-0115-1C
Infrared Cylinder Thermometer - Calibrated Certified to NIST standards. Includes conversion chart and batteries.	#1108-0119C
High Pressure Gauge - Calibrated 2.5" gauge face. 0 - 4,000 psig. Inlet 1/4" NPT male. NIST certified.	#1120-0057C
Vacuum Gauge - Calibrated 2" gauge face. 0 - 30" Hg. 1/4" NPT inlet bottom port. NIST certified.	#1110-0420C
High Pressure Gauge 2" gauge face. 4,000 psig. Bottom port, 1/4" NPT brass post.	#1120-0166
Low Pressure Gauge 2" gauge face. 0 - 100 psi. Inlet 1/4" NPT male. Bottom port, 2".	#1120-0167
Pigtails	
Stainless Steel Supply Side Pigtail - No Check Valve	#1110-0501
Stainless Steel Pigtail - PTFE Lined, 36"	#1110-0501H
Stainless Steel Supply Side Pigtail - No Check Valve, 24"	#1110-0503
Stainless Steel Supply Side Pigtail for O2 - No Check Valve, 24"	#1110-0503H
Stainless Steel Supply Side Pigtail for O2 - PTFE Lined	#1110-0504
Stainless Steel Braided Pigtail - PTFE Lined, 36"	#1110-0506
Stainless Steel Braided Pigtail - PTFE Lined, 36"	#1110-0506H

	Stainless Steel Pigtail - PTFE Lined, 36"	#1110-0501H
	Stainless Steel Supply Side Pigtail - No Check Valve, 24"	#1110-0503
THE STATE OF THE S	Stainless Steel Supply Side Pigtail for O2 - No Check Valve, 24"	#1110-0503H
	Stainless Steel Supply Side Pigtail for O2 - PTFE Lined	#1110-0504
1110-0518	Stainless Steel Braided Pigtail - PTFE Lined, 36"	#1110-0506
	Stainless Steel Braided Pigtail - PTFE Lined, 36"	#1110-0506H
	Stainless Steel Filling Pigtail - 24"	#1110-0508
	Stainless Steel Filling Pigtail - 48"	#1110-0600
	Stainless Steel Supply Side Pigtail for O2 - No Check Valve, 48"	#1110-0601
	Stainless Steel Braided Pigtail - PTFE Lined, 48"	#1110-0601H
of the same of the	Stainless Steel Pigtail - PTFE Lined, 36"	#1110-0518
110-0506H	Stainless Steel Pigtail for O2 - PTFE Lined, 48"	#1110-0519







1109-0002A ▶

Cylinder Labels	
Product Name and Description	Part # / Options
Custom Oxygen Compressed Drug Label Regulatory compliant. 1,000 label minimum order.	#1109-0006-2015
Blank Pack of Compressed Oxygen Product Labels Regulatory compliant. Stamp info with water-resistant ink. Pack of 100.	#1109-0005-2015
Custom Oxygen Compressed Shoulder Label 1,000 label minimum.	#1109-2026
Liquid Labels	
Custom Refrigerated Liquid Oxygen Product Labels Regulatory compliant. Use with cryogenic vessels. Rolls, min. 25 each.	#1109-0003-2015
Blank Refrigerated Liquid Oxygen Labels Regulatory compliant. Stamp info with water-resistant ink. Pack of 25.	#1109-0010-2015
Label Guns & Lot Stickers	
OXYMARK 4 Label Gun Prints two lines: Lot Number and Expiration Date or Contents.	#1109-0001
MONARCH Label Gun Prints two lines: Lot Number and Expiration Date or Contents.	#1109-0004
OXYMARK Stickers - Blank 750 stickers per roll.	#1109-0002
OXYMARK Stickers - Lot and Expiration Date Lot and Expiration Date. Required by 21 CFR 211.130. 750 per roll.	#1109-0002A
OXYMARK Stickers - Lot and Liter Lot and Liter. 750 per roll. Required by 21 CFR 211.130.	#1109-0002B
OXYMARK Stickers - Lot and Cubic Feet Lot and Cubic Feet. 750 per roll. Required by 21 CFR 211.130.	#1109-0002C
MONARCH Stickers - Blank Blank. 1,500 stickers per roll. For use with #1109-0004.	#1109-0008
MONARCH Stickers - Lot and Contents 1,500 stickers per roll. For use with #1109-0004.	#1109-0008A
MONARCH Stickers - Lot and Expiration Date 1,500 stickers per roll. For use with #1109-0004.	#1109-0008B
MONARCH Ink Roller For use with #1109-0004.	#1109-0001IR
OXYMARK Ink Roller For use with #1109-0001.	#1109-0002IR
Cylinder Caution Tags	
White, Attaches with Elastic String EMPTY / PART FULL / FULL. Box of 1,000.	#1109-0007









1109-0037 ▶

Valve Seals	
Product Name and Description	Part # / Options
OXYLOK Large Size Plastic Valve Seals - White Required by 21 CFR 211.80. Bag of 1,000. Easy patient removal.	#1109-0048
OXYLOK Mini Size Plastic Valve Seals - White Required by 21 CFR 211.80. Box of 3,000. Easy patient removal.	#1109-0053
Plastic Valve Seal - White Required by 21 CFR 211.80. Bag of 1,000. With pull tab.	#1109-0013

Wet Bands - Goes on Wet, Shrinks as it Dries	
Standard Size Cellulose Wet Bands – Bucket of 2,500	#1109-0019
Standard Size Cellulose Wet Bands – Bucket of 18,000	#1109-0020
Large Size Cellulose Wet Bands - Bucket of 1,000	#1109-0022
Large Size Cellulose Wet Bands - Bucket of 11,500	#1109-0021
Standard Size Cellulose Wet Bands - Perforated Bucket of 2,500.	#1109-0037

Dust Caps	
Green Plastic Dust Caps CGA 540. Keeps dust and dirt out of cylinder valve. Bag of 100.	#1109-0028
Blue Plastic Dust Caps CGA 540. Keeps dust and dirt out of cylinder valve. Bag of 100.	#1109-0029

Washers	
Nylon Yoke Washers Bag of 1,000. One-time use only. Do not re-use or over torque. Inner diameter = .25" Outer diameter = .58"	#1109-0068
Single-Use Tefzel Yoke Washers – Bag of 50	#1109-0070
·	

Oxygen Swivel Hose Barb

Green 9/16" Swivel Hose Barb (Christmas tree)Bag of 50.

#1100-9966





0900-0590

0900-0591









0900-0411



Single Filling Adapters	
Product Name and Description	Part # / Options
Replacement PB(R) Fillhead	#0900-0590

Double Filling Adapters

Replacement Caire(R) Fillhead #0900-0591

Replacement Cryogenic Fillheads	
Single Fillhead - PB(R)	#0900-0555
Single fill adapter with pressure relief and PB(R) filling head.	
Double Fillhead - PB/Caire(R)	#0900-0550

HI	lına	Δcc	essories
	ши		

Safety Relief "T"	#0900-0531
Used to help prevent a rupture in a case where liquid is trapped in a hose.	

CGA-440 Swivei	
Cryogenic swivel used to eliminate hose twists and kinks when	
filling or making connections.	l

Cryogenic 90° Elbow	#0900-0300
Used to reduce line stress and help eliminate chatter with	
transfer hose.	

Cryo-Scale	#0900-0600
Used when filling cryo-home units to measure when a container is filled.	
CGA 440 x CGA 440	#0900-0411

Wrap Around Tape

Female connector.

Cryogenic Wrap Around Tape250 feet. Cut the desired length you need. Peel-off backing.

Additional Filling Tips Online: applied-inc.com/i-fill-oxygen


#0900-0511

#1110-0110











Tape	
Product Name and Description	Part # / Options
Teflon Tape 1/2" For sealing NPT oxygen connections. Sold in rolls.	#1100-9910
Teflon Tape 1/4" For sealing NPT oxygen connections. Sold in rolls.	#1100-9911

Label Scrapers	
Plastic Label Scraper Designed to help remove labels from cylinders and liquid vessels.	#1109-0009
Razor Blade Scraper Helps remove labels from cylinders and liquid vessels.	#1109-0088
Scraper Replacement Blades Replacement blades for razor blade scraper. Pack of 5.	#1109-0089

Cylinder Paint	
Spray Can Green Cylinder 16oz spray can. For touching up (valve must be masked).	#1109-5557
One Gallon Green Cylinder One gallon. For touching up med (valve must be masked).	#1109-5558

Cylinder Wrenches	
Plastic E Wrench Heavy duty plastic wrench for "E" size cylinders. Packs of 50.	#1109-5571
Metal Valve Wrench – CGA 870 Sold individually.	#1109-5580
Metal Valve Wrench – CGA 540 Sold individually.	#1109-5581

O2 Lubricant	
Christo-Lube Lubricant For oxygen components. Approx. 3 oz. container size.	#1100-9923
Krytox GR Lubricant For oxygen components. 2 oz. tube.	#1100-9930





1109-1014



▲ 1109-1014H



1109-9923





Medical Fittings & Connections		
Product Name and Description	Cylinder Sizes	Part # / Options
CGA-540 Connection "T" Oxygen	H, J, K, L, T, etc.	#1109-1010
CGA-870 Chrome Plated Yoke Medical Oxygen. On pigtail, 1/4".	A, B, C, D, E, M-6	#1109-1014
CGA-870 Yoke w/Large Hand Knob Oxygen. On pigtail, 1/4".	A, B, C, D, E, M-6	#1109-1014H
CGA-870 Yoke for Manifold Oxygen. On manifold, 1/2".	A, B, C, D, E, M-6	#1109-1018
CGA-870 Heavy Duty Yoke Oxygen. On manifold, 1/2".	A, B, C, D, E, M-6	#1109-1038
CGA-870 Yoke w/Large Hand Knob Heavy duty. Oxygen. On manifold, 1/2".	A, B, C, D, E, M-6	#1109-1018H
CGA-870 Yoke w/Large Hand Knob Oxygen. On manifold, 1/2".	A, B, C, D, E, M-6	#1109-1038H
CGA-540 Nipple Oxygen Nipple. Brass 2-1/2"	H, J, K, L, T, etc.	#1109-9914
CGA-540 Nipple, 1/4" NPT Oxygen Nipple. Brass 2-1/2"	H, J, K, L, T, etc.	#1109-9916
Large Hand Grip Yoke Screw All yokes. Brass 2-1/2"	A, B, C, D, E, M-6	#1109-9920
CGA-870 Quick Connector, 1/4" NPT Oxygen. For pigtails and inverted racks.	A, B, C, D, E, M-6	#1109-9931-1
Replacement Washer For Quick Connectors 1109-9931-1, 1109-9932-1	A, B, C, D, E, M-6	#1109-9935
CGA-540 Nipple, Large Hand Grip Oxygen.	H, J, K, L, T, etc.	#1109-9923
CGA-540 Soft Tip Nipple Oxygen. For use with large hand grip nut.	H, J, K, L, T, etc.	#1109-9924
CGA-580 Nitrogen Nipple Nitrogen. Brass nipple.	H, J, K, L, T, etc.	#1109-9926
CGA-870 Quick Connector Yoke, 1/2" NPT Oxygen.	A, B, C, D, E, M-6	#1109-9932-1
Yoke Screw, All Yokes	A, B, C, D, E, M-6	#1109-9985
CGA-540/870 Yoke Adapter Medical Oxygen. 1/4" NPT.	A, B, C, D, E, M-6	#1110-0514
CGA-540/870 Yoke Adapter w/Hand Knob Medical Oxygen. 1/4" NPT.	A, B, C, D, E, M-6	#1110-0514H



1109-5520 ▶ 1109-5524 1109-5521



■ 1100-0026-1 1100-0022-1 1100-0021







Maintenance Chemicals

Product Name and Description

Part # / Options

Leak Test Solution

One Gallon

Meets MIL-PRF-25567E specifications for oxygen compatibility.

#1109-1023-1

Label Remover

No residue, no rinse formula leaves no residue and is fast drying. Meets Mil Spec PD-680.

One Gallon	#1109-5520
120 Count Wipes	#1109-5524
32 oz. Bottle	#1109-5521

Oxygen Equipment Cleaner

Meets requirements for CGA (O2-DIR listed) oxygen cleaning solutions when used as directed, with instructions and SDS.

One Gallon	#1100-0026-1
120 Count Wipes	#1100-0022-1
32 oz. Bottle	#1100-0021

Cylinder Surface Cleaner

Leaves no residue, fast drying, no rinsing needed, biodegradable.

One Gallon	#1100-0130
120 Count Wipes	#1100-0132
32 oz. Bottle	#1100-0134

Concentrator Cleaner

Leaves no residue and fast drying. No rinsing needed. Biodegradable, USDA approved. No flashpoint. Pleasant fragrance. Made in the USA.

One Gallon	#1109-5527
120 Count Wipes	#1109-5528
32 oz. Spray Bottle	#1109-5529





Sanitizers

OxyGo[®] CPAP Sanitizer Plus[™]

- Three Modes: UV, Activated Oxygen, UV + Activated Oxygen
- Cleans and sanitizes CPAP mask, tubing and everyday items
- Bright, easy-to-read LCD display
- Sleek design with large inner capacity
- Does not interface with CPAP machines
- Two-year warranty

#1700-5010

Three Cleaning Modes





OxyGo® CPAP Sanitizer™

- UV technology
- Cleans and sanitizes CPAP mask, tubing and everyday items
- Bright, easy-to-read LCD display
- Sleek design with large inner capacity
- Does not interface with CPAP machines
- Two-year warranty


#1700-5020

UV Technology

No disassembly | No water | No harmful chemicals

Cleans and sanitizes everyday items... CPAP Mask & Tubing Keys Glasses Cell Phones Toys... and more!





Training

Product Name and Description

Part # / Options

Live Stream Training

FDA, DOT and Accreditiation Seminar - Live Stream

Our popular full day seminar hosted as a live stream to your computer. Covers everything you need to meet oxygen training requirements! Approved for 5.75 CRCE.

#OF-STREAM

On-Demand Training

FDA, DOT and Accreditiation Seminar - On-Demand

Our popular full day seminar on-demand. Covers everything you need to meet oxygen training requirements. Does not include CEUs.

#OF-1005 OD

Filling On-Demand - 12 Month Subscription

Includes anytime access to online classes: Filling 101, Oxygen 101, Liquid 101, and Servomex 5200 Operators Course.

#OF-5000F OD SUB

Delivery On-Demand - 12 Month Subscription

Includes anytime access to online classes: Delivery 101, Oxygen 101, and HazMat Security Awareness.

#OF-5000D OD SUB

Gas-to-Gas On-Demand Video Training - Subscription

Video training for safely refilling your cylinders, step by step, and complying with FDA standards.

#OF-1500 OD SUB

Liquid-to-Gas On-Demand Video Training - Subscription

Learn the basics in safely refilling your cylinders, and complying with FDA standards. OF-7000 or HP-40 System.

#OF-1550 OD SUB

Filling 101 On-Demand Class

Covers the FDA required pre-fill, fill and post-fill steps when filling liquid- to-gas or gas-to-gas. One time view.

#OF-111 OD

Filling 101 On-Demand Class - Subscription

Covers the FDA required pre-fill, fill and post-fill steps when filling liquid- to-gas or gas-to-gas. 12 months. Unlimited views.

#OF-111 OD SUB

Delivery 101 On-Demand Class

Covers the basics of delivering oxygen: vehicle requirements, shipping papers and driver training requirements. One time view.

#OF-112 OD

Delivery 101 On-Demand Class - Subscription

Covers the basics of delivering oxygen: vehicle requirements, shipping papers and driver training requirements. 12 months. Unlimited views.

#OF-112 OD SUB

Did You Know? -

The FDA requires training on a "frequent and continuing basis," usually interpreted to be about twice a year.


- ▼ The Quality Control Unit, and all Oxygen Transfilling Personnel should have proper FDA training for their jobs.
- ✓ Drivers need training as a requirement for FDA if they fill from a transfill system or if they fill liquid to liquid curbside.
- The DOT requires drivers to have training "at least every 3 years, and within 90 days of employment for new employees."

WE CAN HELP YOUR TEAM STAY COMPLIANT!



Training	
Product Name and Description	Part # / Options
On-Demand Training	
HazMat Security Awareness On-Demand Class Learn potential targets, potential threats and prevention tools to keep you and your hazardous materials safe. One time view.	#OF-113 OD
HazMat Security Awareness On-Demand - Subscription Learn potential targets, potential threats and prevention tools to keep you and your hazardous materials safe. 12-months. Unlimited views.	#OF-113 OD SUB
Oxygen 101 On-Demand Class Covers the hazards of oxygen, including oxygen safety demos and the details on safe handling of oxygen. One time view.	#OF-114 OD
Oxygen 101 On-Demand Class - Subscription Covers the hazards of oxygen, including oxygen safety demos and the details on safe handling of oxygen. 12-months. Unlimited views.	#OF-114 OD SUB
Servomex 5200 On-Demand Class How to calibrate, operate, and maintain, plus required documentation including regulatory requirements. One time view.	#OF-115 OD
Servomex 5200 On-Demand Class - Subscription How to calibrate, operate, and maintain, plus required documentation including regulatory requirements. 12-months. Unlimited views.	#OF-115 OD SUB
Liquid 101 On-Demand Class FDA required pre-fill, fill & post-fill steps when filling liquid to liquid at your place of business or curbside. One time view.	#OF-116 OD
Liquid 101 On-Demand Class - Subscription FDA required pre-fill, fill & post-fill steps when filling liquid to liquid at your place of business or curbside. 12-months. Unlimited views.	#OF-116 OD SUB
SOPs Policy and Procedure - Subscription Downloadable Word documents that can be used as a template to create your firm's SOPs. Download access valid for 1 year.	#OQ-220
FDA Registration	
FDA Electronic Registration for Transfillers Establishment registration and one drug listing for oxygen if needed. Re-registration reminder. Processed between 10/1-12/31.	#OF-101
Annual FDA Renewal for Transfillers One time FDA Electronic Registration Renewal submitted between 10/1-12/31. Expires the next calendar year on 12/31.	#OF-105
Annual FDA Drug Reporting FDA reporting for oxygen filled at one registered location. Due annually for the previous year. Suggested FDA due date is 2/15.	#OF-107

Patient Set-Up



Use OxySafe2's special tubing to place OxySafe2 as close to the patient and as close to the oxygen supply as possible.

We recommend the OxySafe2 Complete Patient Kit (#1109-2522).

Kit includes two OxySafe2 (#1109-2221), one 2" tubing connector (#1109-2014), and one 2" nasal cannula (#1109-2023).




OxySafe2 [™]	
Product Name and Description	Part # / Options
OxySafe2 Nasal Cannula Kit Includes OxySafe2 with hose barb connections and high quality 2" nasal cannula. Sold in bags of 25.	#1109-2520
OxySafe2 Concentrator & Regulator Kit Includes OxySafe2 with hose barb connections and 2" tubing connector with female trumpet ends. Sold in bags of 25.	#1109-2517
OxySafe2 Complete Patient Kit Includes two OxySafe2, one 2" tubing connector (1109-2017) and one 2" nasal cannula (1109-2020).	#1109-2522
OxySafe2 Nasal Cannula - Bag of 100	#1109-2023
2" Tubing Connector - Bag of 100	#1109-2014
Replacement OxySafe2 - Box of 100	#1109-2221

Concentrator / Regulator Set-Up

We recommend the OxySafe2 Concentrator & Regulator Kit (#1109-2517).

Kit includes OxySafe2 (#1109-2221) with hose barb connections and 2" tubing connector with female trumpet ends (#1109-2014).



OxySafe2[™] Parts

OxySafe2 Replacement

1109-2221



OxySafe2
2" Tubing Connector

1109-2014





1400-3000

1400-2000





STAY CONNECTED WITH THE

Provider Portal AND My OxyGo App

- Real Time Monitoring:
 Concentrator health checks,
 Error troubleshooting,
 Software update pushes
- Routine Maintenance:
 Collect usage feedback to drive improvements, preventative maintenance
- Geo-locating:
 Locate assets, push notifications, promotional marketing

OxyGo POCs

Product Name and Description

Part # / Options

OxyGo NEXT™

7.19" x 3.26" x 8.15" 4.7 lbs.

- 6 Pulse Flow Settings (1260 ml/min)
- Up to 13 hour battery life*
- Only 38 dB. at setting 2
- Included 5-year warranty on the unit; 1-year warranty on sieve beds & battery
- Bluetooth-enabled units connect to your patient's mobile device with the My OxyGo App.** You and your patient can troubleshoot, check battery life, oxygen purity and more with the touch of a button!

#1400-3000

#1400-3000-16

system with double cell battery

OxyGo FIT™

5.9" x 2.7" x 7.2" 2.8 lbs.

- 3 Pulse Flow Settings (630 ml/min)
- Up to 5 hour battery life*
- Only 40 dB. at setting 2
- Included 3-year warranty on the unit; 1-year warranty on sieve beds & battery
- Bluetooth-enabled units connect to your patient's mobile device with the My OxyGo App.** You and your patient can troubleshoot, check battery life, oxygen purity and more with the touch of a button!

#1400-2000

#1400-2000-8

system with double cell battery

OxyGo Accessories

Product Name and Description	OxyGo NEXT Part Number	OxyGo FIT Part Number	
Single Lithium-Ion Rechargeable Battery	#1400-3010-8	#1400-2010-4	
Double Lithium-Ion Rechargeable Battery	#1400-3010-16	#1400-2010-8	
External / Desktop Battery Charger	#1400-3030	#1400-2030	
Home / Office AC Power Supply	#1400-3040	#1400-2040	
Carrying Bag / Case	#1170-3410	#1170-2410	
Slim Backpack	#1170-3441	#1170-2440	

^{*} Double cell battery, setting 1. ** Available on OxyGo FIT POCs produced after 2/19 and OxyGo NEXT.



Flow				
0	-	5	L	.PM

. .

Oxygen Concentration 93% (+3%, -3%)

Oxygen Output Pressure

8 (+2%, -2%) psi

Rated Voltage/Frequency 120 VAC ±10% 60Hz

Power Consumption

350 Watts

Sound ≤ 45 dB(A)

Dimensions

13.4" W x 11.8" D x 25.6" H 34 cm x 30 cm x 65 cm

Weight

41.8 lbs (19 kg)

OxyGo SOCs

Product Name and Description

Part # / Options

#1400-5100

OxyHome® Stationary Concentrator

13.4" x 11.8" x 25.6" 41.8 lbs.

- Quiet Operation
- Small Footprint
- Purity Check by Percentage
- Alarm Indicators:
 No Flow, Low/High Pressure, Purity, Power
- Twin Blower Cooling Design
- Contemporary Design
- 3-Year Replacement Warranty

OxyHome Replacement Parts Product Name and Description Part # / Options User Manual #1170-5400 Cabinet Filter #1170-5401 Compressor Inlet Filter #1170-5402 HEPA Filter #1170-5403 Locking Wheel #1170-5404

#2100-6001







Product Name and Description Part # / Options

C-20A CPAP with WiFi

Two modes: CPAP and APAP. WiFi capable. Quiet operation < 30dB.

Detachable humidifier. Warranty: 2 years unit, 1 year accessories.

B30P BPAP #2100-6010

Modes: CPAP, S, T, S/T, APCV. Quiet operation < 30dB. Real-time alarm. Warranty: 2 years unit, 1 year accessories.

Humidifier Chamber #2100-6050

#2100-6051 **Power Cord**

Filters - 2 Pack #2100-6052

Filters - 6 Pack #2100-6056

Micro SD Card #2100-6053



2100-6001

Manage CPAP and BPAP Patients

2100-6052

with the

OxyGo SLEEP™ CLOUD ™ Portal

- Connects with WiFi module
- Backwards compatible card-to-cloud
- Share patient data with physicians
- Works with all OxyGo SLEEP CPAP and BPAP models



oxygosleep.com







LEARN MORE: lifecorporation.com

LIFE Corporation Emergency Oxygen

Product Name and Description

Part # / Options

LIFE® OxygenPac

9" x 6½" x 20" 18 lbs.

- Easy-to-use, portable, wall-mounted emergency oxygen for OnSite first-aid and safety programs.
- 90 minute supply @ 6 Liters per minute. Comes fully filled and easily refillable/disposable.
- Features LIFE® CPR mask with one-way valve, universally fits both adult and child.

#LIFE-612

6 LPM (NORM) and 12 LPM (HIGH)

#LIFE-025

0-25 LPM - variable flow 12 liter-flow settings

#LIFE-6FF

6 LPM Fixed-Flow

#LIFE-101

Replacement Cylinder M20. 566L

LIFE® SoftPac

4½" x 8" x 15" 6 lbs.

- Lightweight, portable companion for AED.
 Provides emergency oxygen to a breathing victim.
- 40 minute supply @ 6 Liters per minute. Comes fully filled and easily refillable/disposable.
- Features LIFE® CPR mask with one-way valve, universally fits both adult and child.

#LIFE-2-612

6 LPM (NORM) and 12 LPM (HIGH)

#LIFE-2-025

0-25 LPM - variable flow 12 liter-flow settings

#LIFE-2-6FF

6 LPM Fixed-Flow

#LIFE-2-101

Replacement Cylinder M9, 250L

LIFE® O2 Mini

4" x 6" x 12" 5 lbs.

 Perfect for school nurses offices, dentists, or any place where an accident could occur. Provides 15 minutes of life saving oxygen. #LIFE-O2-MINI

LIFE® StartSystem

4" x 13" x 13" 6 lbs. (without AED)

- StartSystem emergency oxygen unit. Works with standard AEDs for workplace first-aid and first responders.
- 15+ minute supply @ 6 Liters per minute.
 Comes fully filled and easily refillable/disposable.
- Features LIFE® CPR mask with one-way valve, universally fits both adult and child.

#LIFE-O2-LSS

Case, 6 and 12 LPM (NORM and HIGH) regulator, cylinder/valve/gauge, O2 fill, tubing mask

#LIFE-02-101

Replacement Cylinder M4, 113L

LIFE Corporation Oxygen Masks and Tubing			
CPR Mask - For Adults & Children	#LIFE-100		
CPR Mask with Strap - For Adults & Children	#LIFE-102		
7ft. Crimp-Proof Oxygen Hose	#LIFE-HOSE		

Marquard Ventures, LLC 2200 Principal Row Orlando, Florida 32837 U.S.A.

© Marquard Ventures, LLC

Please forward to your compliance officer and/or purchasing agent.





PRODUCT

applied-inc.com

